# This Page Is Inserted by IFW Operations and is not a part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

### **PCT**

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classificati n 6: WO 97/12958 (11) International Publication Number: **A2 C12N** (43) International Publication Date: 10 April 1997 (10.04.97) PCT/US96/15994 (81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, (21) International Application Number: CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, (22) International Filing Date: 4 October 1996 (04.10.96)

US

6 October 1995 (06.10.95) 539,896

(71) Applicant: GENENCOR INTERNATIONAL, INC. [US/US]; 4 Cambridge Place, 1870 South Winton Road, Rochester, NY 14618 (US).

(72) Inventor: GHANI, Mahmood, M.; Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA 94304-1013 (US).

(74) Agent: ANDERSON, Kirsten, A.; Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA 94304-1013 (US).

JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### **Published**

Without international search report and to be republished upon receipt of that report.

(54) Title: MICROGRANULE FOR FOOD/FEED APPLICATIONS

#### (57) Abstract

(30) Priority Data:

A microgranular enzyme composition having an average particle size of from about 20 to 400 microns is disclosed. The microgranular composition has low dusting, high blendability and quick dispersion characteristics particularly beneficial to the food and/or feed industries. Also disclosed are methods for making such enzyme-containing microgranules.

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	1E	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Letvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

WO 97/12958 PCT/US96/15994

#### MICROGRANULE FOR FOOD/FEED APPLICATIONS

#### Field of the Invention

This invention relates to improved enzyme microgranules particularly useful in food and feed applications, as well as agglomeration processes for producing such microgranules.

#### Background of the Invention

The use of enzymes, especially of microbial origin, has become more common. Enzymes are used in several industries, including but not limited to the starch industry, the dairy industry, the detergent industry and the food or baking industry, as well as the animal feed industry. Many available dry enzyme products are associated with potential industrial hygiene concerns, primarily with regard to the exposure of workers to air-borne enzyme dust, and generally to the dustiness of the available enzyme products. Many granular products useful in the food and feed industries are spray dried. These products tend to be dusty in handling.

Since the introduction of enzymes into the detergent and other industrial segments, many developments have been made regarding the granulation and coating of enzymes to reduce enzyme dust. However, in today's state of ever-increasing environmental concern and heightened awareness of industrial hygiene, there remains a continuing need for low dust enzyme granules. Furthermore, there are additional characteristics desirable in enzyme granules not currently available in known granulation products and particularly for enzyme granule products directed at the food and feed industries. For example, in the food industry a granular enzyme product should incorporate starting materials (such as carriers, binders and coating materials) which are of food grade quality. Furthermore, it is desirable that food enzyme granules be microgranular in size, in other words that they are between 20-400 microns in size, such that the granules blend well with other food ingredients and disperse quickly with even distribution of enzyme when present in an aqueous environment.

Therefore, it is an object of the present invention to provide low dust microgranules having a majority of the particle size within the range of 20-400 microns. These microgranules

preferably are dispersible or blendable with food (i.e., baking) ingredients and disintegrate rapidly in an aqueous environment to provide quick availability of the nazyme.

Another object of the present invention is to provide an agglomeration process utilizing fluid bed spraying and drying technology to prepare the low dust microgranules of the present invention.

#### Summary of the Invention

According to the present invention there are provided enzyme-containing microgranules comprising:

- a) a suitable carrier;
- b) an aqueous enzyme source;
- c) one or more binder(s) or disintegrant(s); and
- d) a water soluble, food grade polymer coating agent; said microgranule having an average size between 20 to 400 microns, preferably between about 20 to 200 microns.

The enzyme-containing microgranules of the present invention may comprise any enzyme; however, in a preferred embodiment of the present invention, the enzyme is useful in the food and/or baking industry. Thus, useful enzymes include but are not limited to enzymes selected from the group consisting of proteases, amylases, cellulases, xylanases, endoglycosidases and glucose oxidases or mixtures thereof.

This invention also relates to methods for making low dust granules. A method embodiment of the present invention comprises:

- a) loading a suitable carrier into a fluid bed granulator;
- b) blending an aqueous enzyme source and one or more suitable binder and/or disintegrant agent(s);
- spraying the blend of enzyme and binder of step b) on the carrier; and
- d) spraying the product of step c) with a water soluble, food grade polymer at a rate to form a coating and maintain a particle size from about 20 to 400 microns, preferably 20 to 200 microns;

provided that steps a) and b) can be performed in either order.

#### Detail d D scripti n of th Inv nti n

As used herein, "suitable carrier" means any carrier material which has physical characteristics which are similar to other ingredients used in the food/feed industry. The carrier can be insoluble or soluble in water. Thus, for example, suitable carriers (particularly for the food/baking industry) include but are not limited to soy flour, soy grits, corn flour, ground corn cobs or cellulosic-type material, such as alpha-cellulose powder, regular or spray-dried lactose, maltodextrins, corn syrup solids, etc.

As used herein, "binder" means one or more material(s) which either alone or in combination with sugars (such as sorbitol) act to bind the enzyme to the carrier material, thus forming agglomerates. Binders useful in the present invention include, for example, hydrolyzed starches (such as Miragel or Pure-Gel, commercially available from Staleys, GPC) and gums (such as xanthan gum or locust bean gum). Hydrolyzed starches may be used together with sugars (such as com syrup solids) as a binder and disintegrant useful in the present invention. Particularly, starch plus corn syrup solids are preferred in the present invention as the combination provides a matrix for fusing the carrier particles together to build the particle size, and the corn syrup solids, which are hydrophilic, help disperse and breakdown the granule in the presence of an aqueous environment (such as the small amount of water used during the dough making process).

As used herein, "water soluble, food grade polymer" means any water soluble, food polymer, including but not limited to high and low viscosity algins and algin blends (such as Keltone™, commercially available from Kelco) and Gellan gum, and blends of such.

Any enzyme or combination of enzymes may be used in the present invention. During a fluidized bed granulation process enzymes are typically sprayed from relatively impure solutions or slurries in which the active enzyme constitutes only a portion of the total dissolved and suspended solids. Other suspended solids present in the fermentation broth include other proteins, peptides, carbohydrates, other organic molecules and salts. Preferred enzymes for the microgranules of the present invention include those enzymes useful in the food (including baking) and feed industries. Such enzymes include but are not limited to proteases (bacterial, fungal, acid, neutral or alkaline), amylases (alpha or beta), lipases (fungal, bacterial, mammalian), cellulases (whole cellulase or functional components thereof), xylanases and glucose oxidases and mixtures thereof. When the nzyme microgranules of the present invention are to be used in food applications, the

enzyme must b of food grade quality. Thus, for example, suitable enzymes include cellulases, lysozymes and prot ases available under the Multifect tradename from Genencor International, Inc., Rochester, NY and glucose oxidase available under the OxyGO® tradename from Genencor International, Inc., Rochester, NY.

As known to those skilled in the art, other adjunct ingredients may be added to the enzyme microgranules of the present invention. Adjunct ingredients may include: metallic salts, solubilizers, activators, antioxidants, dyes, inhibitors, binders, fragrances, enzyme protecting agents/scavengers such as ammonium sulfate, ammonium citrate, urea, guanidine hydrochloride, guanidine carbonate, guanidine sulfonate, thiourea dioxide, monethyanolamine, diethanolamine, triethanolamine, amino acids such as glycine, sodium glutamate and the like, proteins such as bovine serum albumin, casein and the like, depending on the proposed end use of the microgranule.

A preferred composition of the microgranules of the present invention comprises an activency enzyme ingredient useful in the food industry, a soy flour carrier, a modified starch binder which is used in combination with a sugar to bind the enzyme to the soy flour carrier and to act as a disintegrant, and a high viscosity, water soluble, food grade, film-forming, polymer.

Thus, for example, a preferred microgranule of the present invention comprises:

Ingredient	Amount/100 kg
cellulase concentrate (22.5% solids	) 160.0 kg
Miragel 463	2.0 kg
Keltone™ HV	200.0 gm
corn syrup solids	8.0 kg
soy flour	53.8 kg

The skilled artisan will readily recognize that the amount of enzyme will be adjusted according to the activity desired for the finished product. Likewise, the amount of polymer, such as Keltone™, will vary from 0.1 to 0.3% according to the thickness of coating required. The amount of corn syrup used, if any, will vary from 4-15% depending on the volume of enzyme liquid and desired particle size of the finished product, and the amount of carrier (such as soy) will be adjusted based on activity and solids in the enzyme concentrate.

)

The microgranules of the pr sent invention hav an average size of between about 20-400  $\mu$ , preferably 20-200  $\mu$ . The particle size is important because, particularly for the

food and baking industries, an enzyme microgranule of this particle size range will blend well with other ingredients in food products (such as dough mixes, etc.)

In a process aspect of the present invention the microgranules are made by agglomeration. This methodology results in lower dust products (as compared to spray dried or freeze dried enzyme products) and more cost effective production. Preferably the microgranules are made in a fluid bed granulator, although other equipment such as oscillating granulators or high shear granulators could be used. A fluid bed granulator is preferred, in part because of the ease of operating the process whereby suitable binders such as sugar and hydrolyzed starch are blended together with a liquid enzyme, which blend is then sprayed onto the carrier. Two objectives are attained during the spraying process: the enzyme is attached to the carrier and the particle is built up to a granular form (within the desired size range). A suitable food grade polymer is then sprayed onto the granulated particles to envelope the enzyme and to hold the agglomerate, or granule, together. This process is economically attractive since the moisture sprayed onto the carrier is "flashed off" as the liquid is sprayed on the carrier, and thus a large amount of aqueous enzyme can be loaded on the carrier.

The three most important parameters for manufacturing the microgranules (falling within the desired particle size of 20-400  $\mu$ ) are bed temperature, which should be between about 40-50°C and preferably 42-45°C, fluidization air, which is 300 cubic feet per minute (CFM) at the start and 600 CFM towards the second half of the process, and spray rate, which in a GPCG 300 size granulator is about 1000 ml to 1500 ml/minute, and in equivalent granulators such as a Uniglatt or Vector FL1 is about 15-20 ml/minute or 20-25 ml/minute, respectively.

A general method useful in the present invention is described below and further described by the xamples provided herein. The skilled artisan will recognize variations within the specific process parameters, composition components, etc., these variations are within the scope of the present invention.

G nerally, a sugar source such as corn syrup solids is dissolved in purified wat r. This is mix d until the sugar is completely dissolved, after which a modified starch such as Miragel 463 is added to the dissolved sugar solution with mixing, using, for example, an overhead propeller-type mixer. The mixing should continue until the starch is completely hydrated. This solution can be heated, if necessary, to about 40-60°C, preferably 45°C, to increase the hydration process. The enzyme, added in a liquid form either directly from the fermentation broth or in concentrated form, is blended with the binder (starch and/or sugar) solution with mixing. This provides an enzyme/binder blend appropriate for spraying on the carrier.

In the meantime, the fluid bed granulator, similar to a GPCG 300 made by Glatt Air Techniques, should be preheated to an exhaust air temperature of about 60°C. The carrier (for example, soy flour) is loaded into the preheated bowl of the fluid bed granulator and fluidization is started at a low air volume about 300 CFM, sufficient to provide bed movement. This is done at a low air volume because soy flour is very light and is blown into the filters if a higher volume is used. The spray rate is then set at between about 1 liter to 1.5 liter ml/minute, and preferably about 1200 ml/minute, and the enzyme/binder blend is sprayed onto the carrier.

In a separate bowl, a water soluble, food grade polymer (such as Keltone<sup>™</sup> HV) is dispersed and hydrated in purified water at room temperature with mixing. The enzyme/binder blend is sprayed until the blend is completely gone and then the spray lines should be flushed with at least 500 ml of purified water. After the lines are flushed, the polymer solution is sprayed at a rate of 1000 to 1200 ml/minute, a rate sufficient to form a coat and maintain the desired small particle size (20-400 μ, preferably 20-200 μ). Excessive spray volume should be avoided so that large aggregates are not formed. The polymer solution should be sprayed until the solution is gone.

The product is dried with 5-10 minutes drying time and passed through a sieve or mesh of about 45 US mesh (350 µ size) to remove any aggregates from the finished product.

Typical processing conditions useful in the present invention are described in Table I.

)

Tabl I
Processing C nditi ns

	<u>Uniglatt</u>	Vector FL1	Glatt GPCG 300 (or equivalent)
Air Volume	40-50 CFM starting	40 CFM starting	300-350 CFM starting
45°C Inlet T air temp)	emp	70-80°C	(set to maintain 42- 75-80°C exhaust
Exhaust Air and Temp	42-45°C	42-45°C	42-45°C
Spray Rate	15-20 ml/minute	20-25 ml/minute	1.2-1.4 liters/minute
Nozzle	1.2 mm single	1.2 mm single	2.2 mm single
Atomization Air	20-30 CFM	20-22 psi	80 psi

#### Procedure for Measuring Disintegration of Granules

Equipment: 1000 ml size beaker and a rotating basket (mesh size approximately 600 microns) attached to a motor.

Procedure: Place 1000 ml of deionized water in a beaker at room temperature. Weigh out 500 mg of the enzyme granules in the basket and close the basket. Attach the basket rod to a motor. Set the rpm at 40 and lower the basket into the water beaker. Rotate the basket for one minute at 40 rpm and remove from the beaker, all the enzyme granules should disintegrate in the basket.

Preferred dissolution for granules described herein is less than or equal to one minute.

The following examples are representative and not intended to be limiting. One skilled in the art could choose other enzymes, cores, particles, methods and coating agents based on the teachings herein.

#### Experimental

#### Example 1

448.9 g of ground corn cob were charged into a preheated Uniglatt fluid bed granulator. 500 ml of liquid cellulase concentrate (5214 µ/ml of Multifect® CL, comm rcially available from Genencor International, Inc.) containing 1 g of Miragel 463 (hydrolyzed starch) as a

bind r was spray d onto the ground corn cob at 20 ml/minutes of as not to form aggregates. Bid temperature was maintained between 40-45°C during the spray cycle.

0.1 g xanthan gum was dispersed and hydrated in 200 ml of deionized water. This solution was sprayed onto the enzyme/ground corn cob granulates (which were previously milled to a particle size in the range of below 100  $\mu$ ) under similar conditions as the previous step. The product was dried to a moisture level of 5-6%.

#### Example 2

269.5 g of ground com cob and 200 g of maltodextrin were charged into a preheated Uniglatt fluid bed granulator. 5 g of Miragel 463 and 0.5 g of Keltone™ HV were dispersed in 200 ml of deionized water and hydrated using a homogenizer. This solution was blended with cellulase liquid concentrate (Multifect CL, commercially available from Genencor International, Inc.) and sprayed onto the carrier at 18 ml/minute. Bed temperature was maintained at 42-45°C during the spray cycle. Product was dried to a moisture level of 5-6%. Particle size of the starting material was controlled by using the starting material in the required particle size range.

#### Example 3

446 g of soy grits were charged into a preheated Uniglatt fluid bed granulator. 25 g of com syrup solids and 4 g of starch (Tender-Jel 479, commercially available from Staleys) were dispersed and hydrated in 200 ml of deionized water. This was blended with 100 ml of cellulase enzyme (Multifect CL, commercially available from Genencor International, Inc.). The enzyme and binder solution were sprayed onto the soy grits. Bed temperature during the spray cycle was maintained at 40-42°C. Product was dried to an exhaust temperature of 50-52°C.

#### Example 4

886 g of soy grits were charged into the preheated bowl of a FL-1 (Vector) fluid bed granulator. Starch binder solution was prepared by mixing 10 g of Tender-Jel in 100 ml of deionized water until fully hydrated. This solution was mixed into 1000 ml of xylanase concentrate (GC140, commercially available from Genencor International, Inc.).

A s parate coating solution was prepared by dissolving Keltone™ (commercially available from K lco) and Maltrin 100 in 200 ml of deionized water. Enzyme/binder solution was

spray d at 20-25 mls/minute onto the soy grits while the fluid bed granulator was k pt at a b d temp rature of about 38-40°C. The granulated product was coat d using the Keltone™/Maltrin coating solution prepared earlier. Final product was dried to a bed temperature of 50-52°C.

#### Example 5

Soy flour was agglomerated using corn syrup solids base concentrate of 10 g corn syrup solids per 100 g of soy flour. Corn syrup solids were dissolved in water and sprayed at 25 ml/minute onto the soy flour in a fluid bed granulator (Vector FI-1). This agglomerated soy flour was dried and used as a carrier for manufacturing baking granules using the following procedure: 20 g of Miragel 463 (commercially available from Staleys) (hydrolyzed starch) was dispersed and hydrated in 200 ml of deionized water. This binder solution was blended with 1500 ml of cellulase (Multifect CL from Genencor International, Inc.). 678 g of soy agglomerate prepared as described above were charged in a Vector FL-1 fluid bed granulator with a spray rate of 15 ml/minute. The enzyme/binder solution was sprayed onto the soy agglomerate. 2 g of Keltone HV (commercially available from Kelco) (algin) was dispersed and hydrated in 660 ml of deionized water. This algin solution was sprayed onto the granulated product in the fluid bed granulator. Bed temperature was maintained at about 40°C during the spraying process. Finished product was dried to a bed temperature of 55°C.

Particle size distribution for the granules made in this example were measured, data are provided in Table II. The data show that the majority of particles are between the 20-400 micron range described herein.

Table II

Particle Size Distribution for Multifect CSG

Sieve Size	Weight of Sieve*	Weight of Sieve & Product*	Net Wt.*	% Distribution
425 µ	40.2	40.5	0.3	8.3
250 µ	37.4	40.0	0.6	16.7
150 µ	35.1	36.8	1.7	47.2
106 µ	33.9	34.2	0.3	8.3
90 µ	33.4	33.7	0.3	8.3
75 µ	33.0	33.2	0.2	5.6
63 µ	33.5	33.7	0.2	5.6
Pan Bottom	217.3			

<sup>\*</sup> grams

#### Example 6

Product was prepared using the soy agglomerates made using com syrup solids as th carrier. Binder for enzyme was 3 gm of Kelgum (commercially available from Kelco) in 200 ml of deionized water. Kelgum solution was mixed with barley beta-amylase (commercially available from Neson) and sprayed at 15-16 ml/minute onto soy agglomerates in a fluid bed granulator. 2 g of Keltone<sup>TM</sup> HV was dispersed and hydrated in 500 ml of deionized water. This algin solution was sprayed at 15 ml/minute onto the granulated enzyme/soy flour at a rate to form a fine coating. Bed temperature of approximately 40°C was maintained during the granulating and coating process. The finished product was dried to a bed temperature of 52-55°C.

#### Example 7

A batch of cellulase baking granules was prepared using Miragel 463 starch as the binder. Batch size was 1.0 kg. All the procedures were similar to the batch made as per Example 6.

#### Example 8

A batch of glucose oxidase was manufactured with soy agglomerates using agglomerated soy flour as the carrier. The granulated product was coated with algin. Batch size was 1.0 kg with 600 ml of liquid enzyme concentrate (OxyGO®, commercially available from Genencor International, Inc.) and 0.2% algin (i.e., 2.0 g per 1.0 kilo batch size).

#### Example 9

1514.4 g of soy flour was used as a carrier. 160 g of corn syrup solids were dissolved in 1000 ml of deionized water. 40 g of Miragel 463 (starch) was dispersed and hydrated in the above solution and then mixed with the liquid cellulase. Soy flour was charged into a preheated fluid bed granulator (Vector FL-1). Cellulase enzyme/binder solution was sprayed at 22-24 ml/minute onto the soy flour at a rate as not to cause formation of aggregates. Bed temperature was maintained between 40-45°C during the spray cycle.

4 g of Keltone™ HV was dispersed and hydrated in 1200 ml of deionized water. This solution was spray coated onto the enzyme/soy flour granules.

#### Example 10

758 g of soy flour and 20 g of Miragel 463 were charged into a preh ated Vector FL-1 fluid bed granulator. 120 g of com syrup solids were dissolved with 200 ml of water which was warmed to 45°C to aid dissolution. The com syrup solid solution was blended with 1000 ml of xylanase (GC140, commercially available from Genencor International, Inc.). The xylanase/corn syrup solid blend was sprayed onto the soy flour and Miragel at a spray rate of 25 ml/minute. The fluidization rate was adjusted as necessary as to accommodate the powder bed as it became wet. Bed temperature was maintained between 40-45°C during the spray cycle.

The product was dried for five minutes. Final product was dried to a bed temperature of 50-52°C. The product was then removed from the oscillator bowl and milled through a size 50 US mesh using an oscillator granulator. 2.0 g of Keltone™ HV (algin) was dissolved in 400 ml deionized water using a propeller-type mixer. The milled product was charged into the preheated Vector FL-1 fluid bed granulator. After flushing the lines with deionized water, the Keltone™ HV solution was sprayed on the milled product at a rate of 20 ml/minute. The final product was dried for 5 minutes. Final product was dried to a bed temperature of 50-52°C.

#### **CLAIMS**

- 1. An enzyme-containing microgranule comprising:
  - a) a suitable carrier;
  - b) an aqueous enzyme source;
  - c) one or more binder(s) or disintegrant(s); and
  - d) a water soluble, food grade polymer coating agent;
     said microgranule having an average size between 20 to 400 microns.
- 2. A microgranule of Claim 1 wherein the enzyme is selected from one or more of the group consisting of protease, amylase, lipase, cellulase, xylanase, glucose oxidase and mixtures thereof.
- 3. A method for making an enzyme-containing microgranule, said method comprising:
  - a) loading a suitable carrier into a fluid bed granulator;
  - b) blending an aqueous enzyme and one or more suitable binder or disintegrant agent(s);
  - c) spraying the blend of step b) on the carrier; and
  - d) spraying the product of step c) with a water soluble, food grade polymer at a rate to form a coating and to maintain a particle size from about 20 to 400 microns;

provided that steps a) and b) can be performed in either order.

- 4. A process of Claim 3 further comprising preheating the fluid bed granulator.
- 5. A process of Claim 3 further comprising starting fluidization of the carrier in the fluid bed at a low air volume.
- 6. A process of Claim 3 further comprising drying the microgranules at a temperature of about 50°C.
- 7. A process of Claim 3 further comprising passing the microgranule through a sieve of about 350  $\mu$  siz .



## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

C12N 9/98, A21D 8/04

(11) International Publication Number:

WO 97/12958

(43) International Publication Date:

10 April 1997 (10.04.97)

(21) International Application Number:

PCT/US96/15994

**A3** 

(22) International Filing Date:

4 October 1996 (04.10.96)

(30) Priority Data:

539,896

6 October 1995 (06.10.95)

US

(71) Applicant: GENENCOR INTERNATIONAL, INC. [US/US]; 4 Cambridge Place, 1870 South Winton Road, Rochester, NY 14618 (US).

(72) Inventor: GHANI, Mahmood, M.; Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA 94304-1013 (US).

(74) Agent: ANDERSON, Kirsten, A.; Genencor International, Inc., 925 Page Mill Road, Palo Alto, CA 94304-1013 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 01 May 1997 (01.05.97)

(54) Title: MICROGRANULE FOR FOOD/FEED APPLICATIONS

#### (57) Abstract

A microgranular enzyme composition having an average particle size of from about 20 to 400 microns is disclosed. The microgranular composition has low dusting, high blendability and quick dispersion characteristics particularly beneficial to the food and/or feed industries. Also disclosed are methods for making such enzyme-containing microgranules.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia .	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	TI	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Vict Nam
				***	- 14011

onal Application No

			PCT/US 96/15994
A. CLASSI IPC 6	ification of subject matter C12N9/98 A21D8/04		
According t	to International Patent Classification (IPC) or to both national classi	fication and IPC	
	S SEARCHED		
Minimum d IPC 6	locumentation searched (classification system followed by classificat C12N A21D	ion symbols)	
Documenta	tion searched other than minimum documentation to the extent that	such documents are inc	luded in the fields searched
Electronic d	data base consulted during the international search (name of data bas	e and, where practical,	search terms used)
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the re	elevant passages	Relevant to claim No.
X	US 4 689 297 A (GOOD IVAN C ET A August 1987 see column 3, line 25 - line 49;		1-7
X	DATABASE WPI Section Ch, Week 8515 Derwent Publications Ltd., Londor Class B04, AN 85-089507 XP002028347 & JP 60 037 983 A (SHOWA DENKO KI February 1985 see abstract & PATENT ABSTRACTS OF JAPAN vol. 009, no. 166 (C-290), 11 July see abstract	n, GB; (), 27	1-7
X Furt	ther documents are listed in the continuation of box C.	X Patent family	members are listed in annex.
* Special ca  'A' docum consid  'E' earlier filling 'L' docum which citatio 'O' docum other  'P' docum later t	stegories of cited documents:  nent defining the general state of the art which is not lered to be of particular relevance document but published on or after the international	"T" later document pur or priority date a cited to understar invention "X" document of particannot be consided involve an invention "Y" document of particannot be consided document is comments, such comments, such commin the art. "&" document member	iblished after the international filing date and not in conflict with the application but and the principle or theory underlying the cular relevance; the claimed invention ared novel or cannot be considered to live step when the document is taken alone cular relevance; the claimed invention ered to involve an inventive step when the bined with one or more other such documentation being obvious to a person skilled or of the same patent (amily
2	6 March 1997		0 2. 04. 97
Name and	mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax (+31-70) 340-3016	Authorized officer Coucke	

Form PCT/ISA/218 (second sheet) (July 1992)

2

Inter onal Application No PCT/US 96/15994

(Carri	PCT/US 96/15994		
	Continuation) D CUMENTS CONSIDERED TO BE RELEVANT  egory * Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.		
recioty .	Cuanon or document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
	WO 91 06638 A (GENENCOD INT) 16 May 1001		1 7
<b>(</b>	WO 91 06638 A (GENENCOR INT) 16 May 1991 see page 6, paragraph 2 - page 7, line 1;		1-7
	claims; examples		1-7
_			
1	CHEMICAL ABSTRACTS, vol. 105, no. 25,		1-7
	22 December 1986 Columbus, Ohio, US;		
	abstract no. 224638p,		
	KUSAI KIYOSHI: "MANUFACTURE OF GRANULAR		
	ENZYME"		
	page 627; column 1;		
,	XP002028352		
Y	see abstract		1-7
	& JP 61 162 185 A (NAGASE BIOCHEMICAL INDUSTRY CO) 22 July 1986		
			<u> </u>
		±	
		•	
			·
		_	
,			

2

Form PCT/ISA/218 (continuation of second sheet) (July 1992)

.iformation on patent family members

Inter the Application No PCT/US 96/15994

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4689297 A	25-08-87	CA 1267622 A	10-04-90
		DE 3681468 A	24-10-91
		EP 0193829 A	10-09-86
		JP 4006351 B	05-02-92
		JP 61209589 A	17-09-86
		JP 2509073 B	19-06-96
		JP 6062857 A	08-03-94
WO 9106638 A	16-05-91	AU 6719090 A	31-05-91

THIS PAGE BLANK (USPTO)